

54. Trees and vegetation shall be trimmed according to Section 8.12 of the Sebastopol Municipal Code. Trees and shrubs shall be kept trimmed so that the lowest branches projecting over public properties provide a clearance of not less than eight (8) feet over sidewalks and not less than twelve (12) feet over streets.

Fire Department. Standard Conditions of Approval:

55. The address shall be posted in accordance with requirements of the California Building Code and California Fire Code. The Fire Chief shall review and approve all requests for new addresses. Inspection and signoff of address posting shall be coordinated through Building Department.
56. Smoke and CO detectors shall be installed in accordance with the California Building Code. Final inspection and signoff of smoke detectors shall be coordinated through Building Department.
57. Noncombustible roofing shall be provided for:
 - a. All new roofs shall be non-combustible.
 - b. Roof Repairs or replacement:
 - i. Less than 25% - no requirement
 - ii. 25Hr to 50% - Class C minimum
 - iii. 50% or more — Non-Combustible
 - c. In no case shall the roofing material used to be less fire resistive than the existing roof.

NOTE: A "noncombustible" roof is a Class A roof (for other than Group R Occupancies, a Class A or Class A assembly) as defined in the California Building Code and approved by the Building Department.

58. Prior to occupancy, a spark arrester shall be installed on the chimney(s) 3/8" mesh minimum.

Building Department Standard Conditions of Approval:

59. All construction shall comply with the California Building Code, Plumbing Code, Electrical Code, and Mechanical Code, and other applicable Title 24 Codes in effect at the time of building permit submittal. It is the responsibility of the designer(s) to ensure that all of the above Title 24 codes, as well as any applicable Sebastopol Municipal Codes are incorporated into the design.
60. The project shall comply with the Green Building regulations contained in the Sebastopol Municipal Code that are in effect at the time of building permit submittal.

END OF STANDARD CONDITIONS OF APPROVAL