

Tree Removal Permit Application - Woodmark Apartments						
Location Key	Species of Tree	Diameter at 4 1/2 feet	Heritage Tree?	Area where tree is to be removed from?	Reason for Removal	Proposed Replacement
1	Prunus dulcis		No	Please see the Tree Location and Numbering Plan included. Tree numbers are in red. Trees to be removed are marked with a black X.	New Development & Poor Condition	In accordance with the City of Sebastopol Tree Ordinance, all removed trees will be replaced on a 2:1 basis. See included Landscape Plans for new tree locations and species.
	Almond				New Development	
9	Quercus agrifolia	11.5"	Yes		New Development	
	Coast Live Oak					
10	Quercus agrifolia	10"	Yes		New Development	
	Coast Live Oak					
11	Quercus agrifolia	14"	Yes		New Development	
	Coast Live Oak					
12	Quercus agrifolia	17"	Yes		New Development	
	Coast Live Oak					
13	Quercus kelloggii	10.5"	Yes		New Development	
	Black Oak					
15	Quercus agrifolia	12.5 + 9.5	Yes		New Development	
	Coast Live Oak					
16	Quercus agrifolia	26"	Yes		New Development	
	Coast Live Oak					
17	Quercus agrifolia	21" + 9.5"	Yes		New Development	
	Coast Live Oak					
18	Quercus agrifolia	11.5" + 7"	Yes		New Development	
	Coast Live Oak					
19	Quercus agrifolia	19"	Yes		New Development	
	Coast Live Oak					
20	Quercus agrifolia	29"	Yes		New Development	
	Coast Live Oak					
21	Quercus agrifolia	12" = 5" + 6.5" + 14"	Yes		New Development	
	Coast Live Oak					
22	Quercus agrifolia	12.5"	Yes		New Development	
	Coast Live Oak					
23	Quercus kelloggii	12"	Yes		New Development	
	Black Oak					
25	Quercus kelloggii	12" + 11.5" + 7"	Yes		New Development	
	Black Oak	9.5" + 12.5" + 8"				

26	Quercus agrifolia	11"	Yes		New Development	
	Coast Live Oak					
27	Quercus garryana	21" + 17"	Yes		New Development	
	Oregon White Oak					
28	Quercus agrifolia	16" + 16" + 8" + 6"	Yes		New Development &	
	Coast Live Oak				Poor Condition	
29	Quercus agrifolia	9.8"	Yes		New Development	
	Coast Live Oak					
30	Quercus agrifolia	12.5" + 7"	Yes		New Development	
	Coast Live Oak					
31	Quercus kelloggii	9" + 4" + 4"	Yes		New Development	
	Black Oak					
32	Quercus agrifolia	14"	Yes		New Development	
	Coast Live Oak					
33	Quercus kelloggii	20.5"	Yes		New Development	
	Black Oak					
34	Quercus agrifolia	31" + 22"	Yes		New Development	
	Coast Live Oak					
35	Pinus radiata	41"	No		New Development &	
	Monterey Pine				Poor Condition	
36	Pinus radiata	46.5"	No		New Development &	
	Monterey Pine				Poor Condition	
37	Pinus radiata	57"	No		New Development &	
	Monterey Pine				Poor Condition	
38	Pinus radiata	69"	No		New Development &	
	Monterey Pine				Poor Condition	
39	Pinus radiata	63"	No		New Development &	
	Monterey Pine				Poor Condition	
40	Pinus radiata	44"	No		New Development &	
	Monterey Pine				Poor Condition	
41	Pinus radiata	44"	No		New Development &	
	Monterey Pine				Poor Condition	
42	Pinus radiata	44"	No		New Development &	
	Monterey Pine				Poor Condition	
43	Pinus radiata	40"	No		New Development &	
	Monterey Pine				Poor Condition	
50	Quercus agrifolia	18.5" + 12.5"	Yes		New Development	
	Coast Live Oak					
51	Pseudotsuga menziesii	56"	No		New Development	
	Douglas Fir					

60	Quercus agrifolia	10"	Yes		New Development	
	Coast Live Oak					
61	Quercus agrifolia	16" + 6" + 8"	Yes		New Development	
	Coast Live Oak					
62	Quercus agrifolia	13"	Yes		New Development	
	Coast Live Oak					
63	Quercus agrifolia	10"	Yes		New Development	
	Coast Live Oak					
64	Quercus agrifolia	12.5"	Yes		New Development	
	Coast Live Oak					
65	Quercus agrifolia	11.5"	Yes		New Development	
	Coast Live Oak					
66	Quercus agrifolia	9" + 8"	Yes		New Development	
	Coast Live Oak					
67	Salix sp.	9.8" + 8.5" + 8"	No		New Development	
	Willow					
70	Quercus agrifolia	9" + 8" + 11"	Yes		New Development	
	Coast Live Oak					
71	Quercus agrifolia	9" + 12"	Yes		New Development	
	Coast Live Oak					
72	Pseudotsuga menziesii	50"	No		New Development &	
	Douglas Fir				Poor Condition	
73	Quercus agrifolia	22.5"	Yes		New Development	
	Coast Live Oak					
74	Ligustrum lucidum	9.5" + multi	No		New Development	
	Glossy Privet					
76	Quercus agrifolia	8.8" + 4.5"	Yes		New Development	
	Coast Live Oak					