

EXHIBIT C
STANDARD CONDITIONS OF APPROVAL

Conditional Use Permit, Vesting Tentative Map, Density Bonus
1009-1011 Gravenstein Highway North
060-261-028, 060-261-026, **File# 2022-095**

1. All plans shall include a brief description of the project on the cover sheet.
2. All submitted building permit plan check sets shall include a plan sheet incorporating these conditions of approval.
3. Except as otherwise noted in these conditions of approval, the plans submitted to the Building Department for plan check shall be in substantial conformance to those approved by the review body. If any changes are made to submitted plans which were approved by the review body the applicant shall work with the Planning Department to determine if the changes are significant enough to once again be seen by the review body, or if staff can approve the changes. Any changes that have not been approved by Planning staff are not approved. Construction or demolition work that does not conform to the Planning approval is not valid and shall be subject to stop work orders and may require removal.
4. Acceptance of the construction drawings and specifications does not release the applicant and owner from correction of mistakes, errors, or omissions contained therein. If, during the course of construction, the field conditions or other previously unknown conditions require a modification or a departure from the accepted plans, the applicant shall provide the modifications or departure and specify the correction of mistakes errors, or omissions in compliance with the CBC and City Standards.
5. The City of Sebastopol and its agents, officers and employees shall be defended, indemnified, and held harmless from any claim, action or proceedings against the City, or its agents, officers and employees to attach, set aside, void, or annul the approval of this application or the environmental determination which accompanies it, or which otherwise arises out of or in connection with the City's action on this application, including but not limited to, damages, costs, expenses, attorney's fees, or expert witness fees.
6. A Construction Management Plan (CMP) shall be submitted to the City as part of the Building Permit and/or Grading Permit and shall be incorporated into the plans, unless waived by staff. The City's CMP template, provided by the Planning Department, may be used for small, infill projects. Revisions to the CMP to increase or add on time to the construction timeline shall be coordinated with the Building Official and any additional requests will be at the applicant's responsibility.

This CMP shall be a binding document. Failure to adhere to the CMP may result in a "Stop Work Notice" being placed on the project. An electronic copy of the APPROVED CMP shall be submitted to the City, and may be posted to the city's website. The CMP shall be updated as project conditions warrant. Updates to the CMP shall be provided to the City for review and approval. The CMP shall include but not be limited to:

- a) Work schedule (start of construction date, road or lane closure intent/dates, important milestones and proposed final dates)
- b) Construction Hours
- c) Travel routes and turn-around locations with staff approval

- Impact to state highways
- d) Road and/or lane closures (Applicant to provide information on how many anticipated road closures, and the reasons for each road closure).
- e) Worker auto parking space locations/construction parking
- f) Phasing (if applicable)
- g) If construction improvements are located in areas of slopes 15% or greater, the Contractor shall provide safe temporary hard surface stair access to the improvements, unless waived by the Building Official. This access shall be shown on the CMP.
- h) Projects that require a grading permit shall comply with the City's grading ordinance.

The CMP may be more stringent if the project is located close to schools or in impacted neighborhoods. A CMP may be required to be modified if a neighborhood becomes "impacted" during the course of the construction. Impacted neighborhoods are defined as areas in geographic proximity (i.e. using the same streets for access) with a significant number of simultaneous construction projects.

The hours of construction activity shall be limited 7:00 a.m. to 8:00 p.m., Monday through Friday, 8:00 a.m. to 5:00 p.m. on Saturdays with staff approval, depending on scope of work being done, or unless modified by a project's Specific Conditions of Approval.

A 24-inch by 36-inch weatherproof copy with items A-F posted on site. The remaining Construction Management Plan shall be made available on site. The Construction Management Plan shall be posted on the site as part of the job site signage and should include:

- a) Address of the project site.
 - b) Permitted hours of construction and of deliveries/off-haul.
 - c) Name, e-mail address and direct phone number of the General Contractor.
 - d) Name, e-mail address and direct phone number of the person responsible for managing the project.
 - e) Name and direct phone number of the party to call in case of an emergency.
 - f) City of Sebastopol Building Department (707-823-8597).
7. All construction materials, debris and equipment shall be stored on site. If that is not physically possible, an encroachment permit shall be obtained from the Public Works Department prior to placing any construction materials, debris, debris boxes or unlicensed equipment in the right-of-way. The fee for using the right-of-way for storage of construction materials or equipment is \$10.00 per day. A minimum of 11' passable auto traffic clearance (paved travel way) shall be maintained at all times along the roadway. The placing of portable restroom facilities in the City right-of-way will not be permitted.
 8. All portions of the job site shall be maintained in an organized and professional condition. All trash, debris, construction scraps and broken/deteriorated machinery shall be removed from the site by the end of each week. If off loaded construction materials are not used within 2 weeks, they shall be screened from public view. All sidewalks, driveways and public/private roadways fronting the subject site shall be broom cleaned at the end of each business day.
 9. A pre-construction meeting is required with city staff for projects that:

- a) Require a City encroachment permit, a Caltrans encroachment permit, or a City grading permit; or
 - b) Have 5 dwelling units or more; or
 - c) Have a total of 5,000 square feet of building or more; or
 - d) Have a creek setback requirement; or
 - e) Are required to have a pre-construction meeting under a specific condition of approval.
10. All permits and/or inspection fees required shall be paid in full prior to final occupancy being granted unless otherwise stipulated by the City.
 11. All required construction signage and any required tree-protection shall be posted and available for City inspection at the time of the Pre-construction meeting or, if no pre-construction meeting is required, prior to commencing construction. If these measures are not in place at the time of the pre-construction meeting, a re- inspection fee will be required, and issuance of building permit will be delayed.
 12. The Planning Director shall interpret applicable requirements in the event of any redundancy or conflict in conditions of approval.

Planning Department Standard Conditions of Approval:

13. This approval is valid for a period of three (3) years during which time the rights granted must be exercised. However, the applicant may request one (1) one-year extension of this Use Permit from the Planning Director, pursuant to Zoning Ordinance §17.400.100.
14. The light source for all exterior lighting fixtures shall be shielded from adjacent properties. Cut sheets for all exterior lighting shall be submitted as part of the Design Review or other planning application.
15. For any project that includes new structures within 2 feet of the allowed height limit, a letter or certificate from a surveyor confirming that the height of the roof complies with the approved plans shall be submitted to the Planning Department at the earliest point possible.
16. All landscape and irrigation plans must be designed in accordance with the most current City of Sebastopol landscape requirements. Prior to providing water service for new landscape areas, or improved or modified landscape areas, the Planning Department must review and approve the project's working drawings for planting and irrigation systems. Any question regarding the City of Sebastopol current water conservation and Landscape Ordinance should be directed to the Planning Department.

New construction and rehabilitated (renovations or changes made to sites with an existing irrigation system) landscape projects will be affected by these requirements if the altered landscape area is greater than 500 square feet.
17. For any new housing unit development, the developer/owner shall submit the total amount of fees and exactions associated with the project prior to issuance of certificate of occupancy or final inspection.

Engineering and Public Works Department Standard Conditions of Approval:

18. An Encroachment Permit is required from the Public Works Department for any and all work within the public right-of-way. If the work is within a CalTrans right-of way, an Encroachment Permit from CalTrans shall also be procured by the applicant. Encroachment Permit shall not be issued until the City Engineer approves the applicant's site improvement plans.
19. Construction within the public right-of-way is limited to that necessary to support the lot's use. This may include but is not limited to: driveways, sidewalks and any utility connections. For all improvements within the public right of way, the applicant shall submit plans to adequately describe the work. Plans shall include but not be limited to drainage details, cross-sections, driveway/roadway grades and utility locations as necessary.
20. The applicant shall prepare and submit site improvement plans for the construction of all improvements including water, sanitary sewer, storm drain, water quality facilities, roadway improvements, curbs, gutters, sidewalks, elevated or structural pedestrian walkways, landscaping, landscape irrigation, signing, striping, joint trench and streetlights. All design and construction shall conform to the latest edition of the City of Sebastopol Design and Construction Standards and other applicable codes, standards, guidelines and specifications. Public improvement drawings shall be drafted in the City-approved sheet format.
21. Once approved by the City Engineer, the applicant shall submit PDF files of the signed improvement plans. As-Built record drawings shall also be submitted as PDF files.
22. Deviations from City Standards and applicable Code requirements shall be approved by the City Engineer. The applicant's engineer shall request all design exceptions in writing.
23. Any improvements, public or private, damaged during construction shall be replaced, by the applicant, in-kind or with new improvements. All cracked, broken, or uplifted sidewalk, driveway and/or curb and gutter fronting the property shall be replaced. Applicant shall coordinate with the Public Works Department prior to the first submittal of project improvement plans to identify the extents and limits of replacement.
24. An erosion and sediment control plan are required as part of the building permit application. The plan shall be prepared by a certified erosion control specialist and in full compliance with CASQA standards. The plan is subject to review and approval by the Engineering Department prior to the issuance of the building or grading permit. No modifications to the approved plans shall be made without approval of the City Engineer.
25. Mailbox plans and locations shall be approved by the Sebastopol Postmaster prior to improvement plan approval. The developer shall provide a letter and exhibit showing mailbox locations from the Sebastopol Postmaster approving mailbox locations.
26. City Public Water and Sewer and Drainage utility easements, if required by the City

Engineer, shall be provided within the development. Easement locations shall be subject to review and approval by the City Engineer.

Roadway Improvements:

27. Road closures, if permitted by the Project Approval, will only be permitted with prior authorization from the Public Works Department consistent with the City's road closure policy. Signs containing details of the proposed closure must be posted 48 hours in advance. Coordinate road closures with the Sebastopol Public Works Department. Contact the Public Works Department at 707-823-5331 to obtain a road closure permit.
28. An emergency vehicle access, meeting the requirements of the Sebastopol Fire Department shall be constructed.
29. All private driveway areas less than 24-foot wide shall require the approval of the Sebastopol Fire Department.
30. Sidewalk warps shall be provided to allow a clear five-foot walkway at all locations where mailboxes, street furniture, streetlights, street signs and fire hydrants are to be installed, or as otherwise approved by the City Engineer.
31. The structural section of all public road improvements shall be designed using a soil investigation which provides the basement soils R-value and expansion pressure test results. A copy of Geotechnical report and structural section calculations shall be submitted with the first improvement plan check.
32. The structural section of the private on-site drive aisles and parking areas shall meet the requirements and recommendations of the geotechnical report for the project.
33. Retaining walls and retaining curbs may be required to protect damage to trees as determined by a licensed Arborist. All retaining structures shall be designed and constructed to minimize damage to trees.
34. Pedestrian curb ramps, meeting City standards and current accessibility requirements, shall be provided at all intersections and crosswalks where sidewalks are proposed.

Drainage Improvements:

35. All project related flooding impacts shall be mitigated by the project developer. Drainage improvements shall be designed by a Civil Engineer registered in the State of California in accordance with the Sonoma County Water Agency's Flood Management Design Manual (FMDM). Public and private drainage improvements shall be shown on the improvement plans and the City Engineer may require the applicant to acquire the review and recommendations by the Sonoma County Water Agency (Sonoma Water) prior to approval by the City Engineer. Private storm drain easements will be required for any portions of the private storm drain not entirely located with the lot being served or for any portion of a private utility located on an adjacent parcel.

Stormwater Quality:

36. Projects that create or replace 10,000 square feet or more of impervious surface area are subject to design and construction requirements of the most recent edition of City of Sebastopol Low Impact Development (LID) Technical Design Manual. Improvement plans with required LID design features shall be approved by the City Engineer.
37. Projects that will disturb 1.0 acre or more of developed or undeveloped land shall provide evidence that a Notice of Intent (NOI) has been submitted by the applicant and received by the State Water Resources Control Board for a General Construction Activity Storm Water Permit. Two copies of the project Storm Water Pollution Protection Plan (SWPPP) shall be provided to the City prior to issuing a grading permit, encroachment permit, or building permit.
38. For required LID features constructed on private property or on street frontage, the owner shall provide a Declaration Letter to the City Manager regarding the owner's commitment to ongoing maintenance of said LID features (LID Declaration) prior to occupancy.

Grading:

39. The City of Sebastopol shall require a grading permit for projects that meet these requirements.
 - a) Cut or fill exceeding 50 cubic yards
 - b) Cut or fill greater than 3 feet in depth
 - c) Cut creating a cut slope greater than 5 feet in height and steeper than 2 units horizontal to 1 unit vertical
 - d) Fill intended to support a structure or surcharge greater than 1 foot in depth or placed on terrain with a natural slope steeper than 15 percent
40. When required by the Building Official the applicant shall submit to the City for review and approval, a detailed Geotechnical Report prepared by a Geotechnical Engineer registered in the State of California. The grading plan shall incorporate the recommendations of the approved Geotechnical Report.
41. Where soil or geologic conditions encountered during grading operations are different from those anticipated in the Geotechnical Report, or where such conditions warrant changes to the recommendations contained in the original soil investigation, a revised soil or geologic report shall be submitted for approval by the City Engineer. It shall be accompanied by an engineering and geological opinion as to the safety of the site from hazards of land slippage, erosion, settlement, and seismic activity.
42. Existing wells, septic tanks and/or underground fuel storage tanks that are defective or will no longer be in use shall be permanently destroyed or removed under permit and inspection by the Sonoma County Permit and Resource Management Department, Well and Septic Division and/or Sonoma County Environmental Health or other designated agency. Underground fuel storage tanks are subject to UST regulations of the State Water Resources Control Board.
43. The grading plan shall clearly show all existing survey monuments and property corners and shall state that they shall be protected and preserved. Should monuments be damaged or destroyed during construction, they shall be replaced by the developer.

44. Improvements plans shall include an erosion control (winterization) plan. The plan shall include an order of work and staging/scheduling component indicating when facilities must be installed and when they may be removed.

Fire Department. Standard Conditions of Approval:

45. The address shall be posted in accordance with requirements of the California Building Code and California Fire Code. The Fire Chief shall review and approve all requests for new addresses. Inspection and signoff of address posting shall be coordinated through Building Department.
46. Smoke and CO detectors shall be installed in accordance with the California Building Code. Final inspection and signoff of smoke detectors shall be coordinated through Building Department.
47. Noncombustible roofing shall be provided for:
 - a. All new roofs shall be non-combustible.
 - b. Roof Repairs or replacement:
 - i. Less than 25% - no requirement
 - ii. 25Hr to 50% - Class C minimum
 - iii. 50% or more — Non-Combustible
 - c. In no case shall the roofing material used to be less fire resistive than the existing roof.

NOTE: A "noncombustible" roof is a Class A roof (for other than Group R Occupancies, a Class A or Class A assembly) as defined in the California Building Code and approved by the Building Department.

Building Department Standard Conditions of Approval:

48. All construction shall comply with all applicable Title 24 Codes in effect at the time of building permit submittal. It is the responsibility of the designer(s) to ensure that all applicable Title 24 codes, as well as any applicable Sebastopol Municipal Codes are incorporated into the design.

END OF STANDARD CONDITIONS OF APPROVAL